

Documentation



Setup of an **OAuth 2.0** interface
with SmartRecruiters




Setup of an OAuth 2.0 interface between SmartRecruiters and Hippolyte-rh

The goal of an OAuth 2.0 interface is to upgrade security level of the hippolyte-rh <> SmartRecruiters integration by restricting the permissions provided to Hippolyte-rh to a strict minimum :


- Access job offers
- Create applicant with CV

Creating an OAuth interface and setting up the references


- Connect to SmartRecruiters
- Click on your profil picture on the top right of the screen, then "Setting / Admin"




- Click on "Apps & integrations" in the "Company Settings" > "Administration" box



- Click on the "CREDENTIALS" tab
- Click on the "NEW CREDENTIAL" button on the top right of the credentials list



- Click on "OAuth client ID" then "Next"



- Type a Credentials name, it can be "OAuth Hippolyte-rh" then enter a "Description" that suit you
- Check "Create Candidates" and "Access jobs" in the permissions list

SELECT	USER PROMPT	SCOPE	ACCESS PERMISSIONS SOUGHT
<input type="checkbox"/>	Access Candidates	candidates_read	Read access to user's candidates list, details, tags, onboarding status, properties, attachments, screening answers and status history
<input checked="" type="checkbox"/>	Create Candidates	candidates_create	Add new candidate records on behalf of a user and assign to a General Application or to a Job by uploading a resume or by passing a JSON object. Add attachments
<input type="checkbox"/>	Access Offer Terms	candidates_offers_read	Read access to candidates' offers and get offer terms
<input type="checkbox"/>	Manage Candidate Status and Properties	candidates_manage	Write access to candidate's status, onboarding status, tags, source and properties.
<input type="checkbox"/>	Access Candidate's status	candidate_status_read	Read access to candidate's status history
<input type="checkbox"/>	Access job applications	job_applications_read	Read access to job applications
<input type="checkbox"/>	Access Company Settings	configuration_read	Read access to all company configuration settings for departments, hiring processes, job properties and offer properties. (NOTE: Requires an Admin user role)
<input type="checkbox"/>	Manage Company Settings	configuration_manage	Write / delete access to all company configuration settings for departments and job properties. (NOTE: Requires an Admin user role)
<input checked="" type="checkbox"/>	Access Jobs	jobs_read	Read access to user's jobs list and details

- Click on "Generate", a form will appear with the "Client ID" and "Clients Secret", keep these informations preciously since there is no way to retrieve them without generating new values

Credentials

Client ID

378149501

Clients Secret

453d2679-9f8d-469c-8c16-4db4

DONE

- Click on your profil picture on the top right of the screen, then "Setting / Admin"
- Click on "Company profil" in the "Company Settings" → "Administration" box

- Save the value of the "Company / Organization" field
- Transmit the "client ID", "Client Secret" and "Company / Organization" values to your Hippolyte-rh account manager to finalize the OAuth 2.0 connection